

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/616,113	07/09/2003	Stephan Schmidt	P2002,0564	2190
24131	7590 06/30/2006		EXAMINER	
LERNER GREENBERG STEMER LLP			NGO, HUNG V	
P O BOX 24 HOLLYWO	80 OD, FL 33022-2480		ART UNIT	PAPER NUMBER
	,		2831	
			DATE MAILED: 06/30/200	6

Please find below and/or attached an Office communication concerning this application or proceeding.

		and the second s	
	Application No.	Applicant(s)	
	10/616,113	SCHMIDT ET AL.	
Office Action Summary	Examiner	Art Unit	: .
	Hung V. Ngo	2831	: '
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet w	vith the correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPL' WHICHEVER IS LONGER, FROM THE MAILING D. Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUN 36(a). In no event, however, may a will apply and will expire SIX (6) MC c, cause the application to become a	IICATION. a reply be timely filed DNTHS from the mailing date of this communication. ABANDONED (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on 24 M	lav 2006		:
	action is non-final.		: . : .
3) Since this application is in condition for allowa		tters, prosecution as to the merits is	
closed in accordance with the practice under E	•		
closed in accordance with the practice dider i	-x pane quayie, 1000 0.	D. 11, 400 O.O. 210.	٠.
Disposition of Claims			:
4) Claim(s) 1-22 is/are pending in the application			
4a) Of the above claim(s) is/are withdraw			:
5) Claim(s) is/are allowed.	With the first consideration.		:
6) Claim(s) 1-22 is/are rejected.			
7) Claim(s) is/are rejected.			:
· _			:
8) Claim(s) are subject to restriction and/o	r election requirement.		: : .
Application Papers			: :
9) The specification is objected to by the Examine	er.		:
10) ☐ The drawing(s) filed on is/are: a) ☐ acc	epted or b) ☐ objected to	by the Examiner.	:
Applicant may not request that any objection to the	drawing(s) be held in abeya	ance. See 37 CFR 1.85(a).	: :
Replacement drawing sheet(s) including the correct			
11) The oath or declaration is objected to by the Ex	*		
Priority under 35 U.S.C. § 119			: :
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:	priority under 35 U.S.C.	§ 119(a)-(d) or (f)	
,	a have been received		:
1. Certified copies of the priority document		A liti NI-	
2. Certified copies of the priority document			:
3. Copies of the certified copies of the prior	•	n received in this National Stage	
application from the International Bureau			
* See the attached detailed Office action for a list	of the certified copies no	t received.	
			:
			: E
Attachment(s)	🗂		
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948)		Summary (PTO-413) b(s)/Mail Date:	:
Diaming Review (P10-946) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)		Informal Patent Application (PTO-152)	
Paper No(s)/Mail Date	6) 🔲 Other:		

Art Unit: 2831

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-5, 7, 19 are rejected under 35 U.S.C. 102(b) as being anticipated by Mosquera et al (US 6,313,400).

Re claim 1, Mosquera et al disclose a housing comprising: at least first and second housing parts (32, 34) detachably connected to one another at a transition (Fig 7), said first and second housing parts each having end surfaces (56, 72) fitting with one another to spread electrical contact on a largest possible surface area therebetween (Figs 7, 8), each of said end surfaces of said first and second housing parts having at least a first and second corresponding bend (90, 94, 104, 106) in order to form an interlocked U-shaped profile (Fig 6) and providing additional protection against electrostatic and electromagnetic disturbances at the transition of the housing parts (Fig 7)(col. 1, lines 30-36).

Re claim 2, wherein said first and second housing parts define an air gap therebetween, said air gap being sufficiently small to allow electrical contact to occur between said first and second housing parts over a substantial majority of said surface area (Fig 10)

Re Claim 3, wherein said end surfaces are at a right angle to said first and second housing parts (Fig 6).

Re Claim 4, wherein said at least one bend is a right angle (Fig 6).

Re Claim 5, wherein said end surfaces are form-locking and have profiles with a number of sides at which electrically conductive contact occurs (Fig 11)

Re Claim 7, wherein at least one of said first and second housing parts is of sheet metal ((Fig 10).

Re Claim 19, a housing comprising: at least first and second housing parts (32, 34) detachably connected to one another at a transition (Fig 7), said first and second housing parts each having end surfaces (56, 72) fitting with one another to spread electrical contact on substantially all of a surface area there-between said end surfaces (Figs, 7, 8), each of said end surfaces of said first and second housing parts having at least a first and a second corresponding bend (90, 94, 104, 106) in order to form an interlock u-shaped profile (Fig 6), and providing additional protection against electrostatic and electromagnetic disturbances at the transition of the housing parts (Fig 7)(col. 1, lines 30-36), said end surfaces being form-locking and having profiles with at least two sides at which electrically conductive contact occurs (Fig 6).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

Art Unit: 2831

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Mosquera et al. in view of Kaiserwerth et al (US 3,885,084)

The teaching of Mosquera et al as discussed above does not disclose the gap is filled with a formable conductive seal.

Kaiserswerth et al teach the use of a conductive seal (3).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to include the conductive seal with the gap of Mosquera et al for the purpose of enhancing electromagnetic shielding.

Claim 8-18, 20-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mosquera et al. in view of McMiller et al (US 6,194,653)

The teaching as discussed above does not disclose

wherein one of said end surfaces of at least one of said first and second housing parts has contact elements in conductive contact with another of said end surfaces of a respective other one of said first and second housing parts (Re Claims 8, 20).

wherein said contact elements are disposed along said end surface at regular intervals (re claim 9).

wherein said one of said first and second housing parts having said contact elements is of sheet metal (re claim 10).

wherein at least one of said contact elements is a link plate formed from said sheet metal (re claim 11).

Art Unit: 2831

wherein said contact elements each are link plates formed from said sheet metal (re claim 12).

wherein said at least one contact element has a free end with a contact-forming embossing in a direction of said other one of said first and second housing parts not having said contact elements (re claim 13).

wherein at least one of said contact elements is resilient (re claim 14)

wherein: said one of said first and second housing parts having said contact elements has a given thickness; and said contact elements each have said given thickness (re claims 15, 21).

wherein said contact elements each have free ends with contact-forming embossings; said contact elements lie in a given plane with said one of said first and second housing parts having said contact elements; and said embossings protrude beyond said given plane in a direction of said other one of said first and second housing parts not having said contact elements (re claims 16, 22).

wherein said contact elements are disposed beyond said bend and follow a form of said bend (re claim 17).

wherein said one of said first and second housing parts having said contact elements has an extent from a given portion through said at least one bend to an end; and said contact elements are disposed between said at least one bend and said end and follow a form of said at least one bend (re claim 18).

Re claims 8-18, 20-22, McMiller et al teach the use of a resilient link plate sheet metal contact elements (208)(Fig 3) are disposed along said end surface at regular

Art Unit: 2831

intervals having a given thickness and an embossing (210) protruding beyond said given plane in a direction of said other one of said first and second housing parts. It would have been obvious to one of ordinary skill in the art at the time the invention was made to include the contacting elements with the housing part of Mosquera et al for the purpose of enhancing electromagnetic shielding.

Response to Arguments

Applicant's arguments filed 05-24-06 have been fully considered but they are not persuasive.

Applicant argues (1) that it is not disclosed by Mosquera et al that a first and a second corresponding bend could achieve the object of providing two detachable housing parts for protecting against EMI by forming an interlocked U-shaped profile With respect to (1) see col. 1, lines 30-37.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hung V. Ngo whose telephone number is (571) 272-1979. The examiner can normally be reached on Monday to Thursday 8:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dean A. Reichard can be reached on (571) 272-2800 EXT 31. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2831

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

HVN 06-19-06 Hug V Nan

HUNG V. NGO PRIMARY EXAMINER